

[Research Highlights](#)[Perspectives](#)[Archive](#)[Magazines ▾](#)[About KAUST](#)[Sign Up](#)[Chemistry](#)[Materials Science & Engineering](#)

Coffee-ring effect leads to crystallization control in semiconductors


Varying the thickness of crystallizing materials facilitates control over the patterns and properties of crystals.

Published online Mar 3, 2017

A chance observation of crystals forming a mark that resembled the stain of a coffee cup left on a table has led to the growth of customized polycrystals with implications for faster and more versatile semiconductors.

Thin-film semiconductors are the foundation of a vast array of electronic and optoelectronic devices. They are generally fabricated by crystallization processes that yield polycrystals with a chaotic mix of individual crystals of different orientations and sizes.

Significant advances in controlling crystallization has been made by a team led



Professor Amassian describes his work.

by Professor Aram Amassian of Material Science and Engineering at KAUST. The group included individuals from the KAUST Solar Center and others from the University's Physical Science and Engineering Division in collaboration with Cornell University. Amassian said, "There is no longer a need to settle for random and incoherent crystallization."

The team's recent discovery began when Dr. Liyang Yu of the KAUST team noticed that a droplet of liquid semiconductor material dried to form an outer coffee-ring shape that was much thicker than the material at the center. When he induced the material to crystallize, the outer ring crystallized first.


"This hinted that local thickness matters for initiating crystallization," said Amassian, which went against the prevailing understanding of how polycrystal films form.

This anomaly led the researchers to delve deeper. They found that the thickness of the crystallizing film could be used to manipulate the crystallization of many materials (see top image). Most crucially, tinkering with the thickness also allowed fine control over the position and orientation of the crystals in different regions of a semiconductor¹.

"We discovered how to achieve excellent semiconductor properties everywhere in a polycrystal film," said Amassian. He explained that seeding different patterns of crystallization at different locations also allowed the researchers to create bespoke arrays that can now be used in electronic circuits (see bottom image).


This is a huge improvement to the conventional practice of making do with materials whose good properties are not sustained throughout the entire polycrystal nor whose functions at different regions can be controlled.

© KAUST



Crystallization behavior can be controlled locally, creating regions with different crystal patterns.

© 2017 KAUST



Seeding different patterns of crystallization at different locations enabled bespoke arrays of crystals that have commercial potential.

© 2017 KAUST

“We can now make customized polycrystals on demand,” Amassian said.

Amassian hopes that this development will lead to high-quality, tailored polycrystal semiconductors to promote advances in optoelectronics, photovoltaics and printed electronic components. The method has the potential to bring more efficient consumer electronic devices, some with flexible and lightweight parts, new solar power generating systems and advances in medical electronics. And all thanks to the chance observation of an odd pattern in a semiconductor droplet.

The team will now explore ways to move their work beyond the laboratory through industry partnerships and research collaborations.

Reference

1. Yu, L., Niazi, M. R., Ngongang Ndjawa, G. O., Li, R., Kirmani, A. R., ...& Amassian, A. Programmable and coherent crystallization of semiconductors. *Science Advances* **3**, e1602462 (2017)| [article](#)

Related articles



An ordered route to improved performance

Reliable processing of an efficient solar cell material depends on how the solvent is removed.

January 8, 2017



Most recent

Levitation trick gives drag the slip

Mar 12, 2017

Signaling success for 5th gen communications

Mar 5, 2017

A simple nose for noxious gases

Mar 5, 2017

Improving connections for spatial analysis

Mar 5, 2017

Coffee-ring effect leads to crystallization control in semiconductors

Mar 3, 2017

[Sign Up](#)

[Publications](#)

[Faculty](#)

[Research Centers](#)

[Research Divisions](#)

[KAUST homepage](#)

In case you missed it...



Closer ties for silver clusters

Surrounding silver nanoclusters with hydrogen-rich shells offers new opportunities in catalysis and opto-electronics.

[LEARN MORE](#)



[Contact Us](#) | [Privacy Policy](#) | [Terms of Use](#)

© 2017 King Abdullah University of Science and Technology. All rights reserved.